



according to Regulation (EC) No 1907/2006

LASCOL ALP 210

Revision date: 01.02.2017 Product code: 23 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LASCOL ALP 210

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Watersoluble Metalworkingfluid

1.3. Details of the supplier of the safety data sheet

Company name: LASCOL LUBRIFIANTS
Street: 28 Avenue Carnot, BP 30038
Place: F-78290 CROISSY SUR SEINE

Telephone: +33 09.80.52.18.73 Telefax: +33 09.57.94.90.76

e-mail: lascol.lubrifiants@gmail.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
78-96-6	1-aminopropan-2-ol, isopropanolamine		1 - < 2.5 %		
	201-162-7	603-082-00-1			
	Skin Corr. 1B; H314				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsiousness or cramps.

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.





according to Regulation (EC) No 1907/2006

LASCOL ALP 210

Revision date: 01.02.2017 Product code: 23 Page 2 of 7

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated:

Nitrogen oxides (NOx).

Carbon monoxide

Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire: Wear self-contained breathing apparatus. Full protective suit.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Contain and control the leaks or spills with noncombustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Large quantities remove mechanically Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Dicrect contact with skins avoid.

When using do not eat, drink or smoke.





according to Regulation (EC) No 1907/2006

LASCOL ALP 210

Revision date: 01.02.2017 Product code: 23 Page 3 of 7

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

When using do not eat, drink or smoke.

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 5-40 °C Maximum period of storage (time): 1 Jahr

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Further information on storage conditions

te regulations relating to storage premises apply to workshops where the product is hanled.

Maximum period of storage (time):

7.3. Specific end use(s)

Watersoluble Metalworkingfluid

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Wear eye protection/face protection. Use glasses or face shield if there is a risk of splashing.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protect skin by using skin protective cream.

Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and after work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Wear suitable protective clothing. Chemical resistant safety shoes.

Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product.

Set out skin protection guidelines.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are



according to Regulation (EC) No 1907/2006

LASCOL ALP 210

Revision date: 01.02.2017 Product code: 23 Page 4 of 7

not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow
Odour: characteristic

Test method

pH-Value (at 20 °C): in aqueous solution 5%; 9,4 DIN 51369

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not applicable

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Ignition temperature: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1,04 g/cm³ EN ISO 12185

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic: 10 mm²/s ASTM D 7042

(at 20 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions



according to Regulation (EC) No 1907/2006

LASCOL ALP 210

Revision date: 01.02.2017 Product code: 23 Page 5 of 7

No known hazardous reactions.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
78-96-6	1-aminopropan-2-ol, isopropanolamine				
		LD50 2700 mg/kg	Rat		
	dermal	LD50 1600 mg/kg	Rabbit		

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
78-96-6	96-6 1-aminopropan-2-ol, isopropanolamine						
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus	IUCLID	
	Acute algae toxicity	ErC50	23 mg/l		Desmodesmus subspicatus	IUCLID	
	Acute crustacea toxicity	EC50 mg/l	108,8	48 h	Daphnia	IUCLID	

12.2. Persistence and degradability

Additional information: none

12.3. Bioaccumulative potential

Can be concentrated in organisms.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-96-6	1-aminopropan-2-ol, isopropanolamine	-0,96

12.4. Mobility in soil

in delivery condition: liquid



according to Regulation (EC) No 1907/2006

LASCOL ALP 210

Revision date: 01.02.2017 Product code: 23 Page 6 of 7

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

LASCOL ALP 210

Revision date: 01.02.2017 Product code: 23 Page 7 of 7

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 0,84 % (8,736 g/l) 2004/42/EC (VOC): 0,84 % (8,736 g/l)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)