LASCOL LUBRIFIANTS



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LASCOL ALP 430

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Coolant Fluid

1.3. Details of the supplier of the safety data sheet

Company name: LASCOL LUBRIFIANTS
Street: 28 Avenue Carnot, BP 30038
Place: F-78290 CROISSY SUR SEINE

Telephone: +33 09.80.52.18.73 Telefax: +33 09.57.94.90.76

e-mail: lascol.lubrifiants@gmail.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard Statements:

Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2,2-(cyclohexylimino)bisethanol **Signal word:** Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P321 Specific treatment (see information on this label).

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P310 Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 2 of 8

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]	•			
105-59-9	2,2'-(methylimino)diethanol, N-methyldiethanolamine					
	203-312-7	603-079-00-5				
	Eye Irrit. 2; H319					
141-43-5	Ethanolamin - Neutralised		2,5-10%			
	205-483-3		01-2119486455-28			
	Acute Tox. 4, Acute Tox. 4, Acute T	ox. 4; H332 H312 H302				
102-71-6	Triethanolamin		2,5-10%			
	203-049-8		01-2119486482-31			
4500-29-2	2,2-(cyclohexylimino)bisethanol		2,5 -10 %			
	224-809-5					
	Acute Tox. 4, Skin Corr. 1C, STOT RE 2, Aquatic Chronic 3; H302 H314 H373 H412					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Medical treatment necessary. Do not get in eyes, on skin, or on clothing. Do not breathe gas/fumes/vapour/spray.

Wear personal protection equipment. Avoid contact with skin, eyes and clothes. Avoid contact with skin. Do not effect a mouth-to-mouth resuscitation.

After inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After contact with skin

Remove contaminated clothing immediatley and dispose off safely. Rinse skin with water/shower. Call a physician immediately.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not subject to friction. Call a physician immediately. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Call a POISON CENTER/doctor/.? if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Foam.



according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 3 of 8

Dry extinguishing powder. Carbon dioxide (CO2). Water fog. Water.

Unsuitable extinguishing media

none

5.2. Special hazards arising from the substance or mixture

Contaminated fire-fighting water must be collected separately.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Keep away from unprotected people. Keep upwind.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

refer to chapter 8 12,13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. When using do not eat, drink or smoke. Wear personal protection equipment.

Further information on handling

When using do not eat, drink or smoke.

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Keep in a cool place away from acids. Keep in a cool, well-ventilated place away from alkali.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Wear suitable protective clothing.

Eye/face protection

Tightly sealed safety glasses. Eye protection: DIN EN 166

LASCOL LUBRIFIANTS



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 4 of 8

Hand protection

Tested protective gloves are to be worn: DIN EN 374 Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

Skin protection

Wear personal protection equipment.

Respiratory protection

IF exposed: Use appropriate respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Test method

pH-Value (at 3% °C): 9,5

Changes in the physical state

Melting point: ASTM D 1120

Initial boiling point and boiling range: >100 °C
Flash point: >100 °C

Auto-ignition temperature

Solid: No information available. Gas: No information available.

Density (at 15.5 °C): 1,04 g/cm³

9.2. Other information

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

frost.

10.5. Incompatible materials

Oxidizing agents, strong. Strong acid strong alkalis

SECTION 11: Toxicological information

11.1. Information on toxicological effects

GB - EN Print date: 12.02.2018



according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 5 of 8

Acute toxicity

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
105-59-9	2,2'-(methylimino)diethanol, N-methyldiethanolamine							
	oral	LD50 mg/kg	4680	Rat				
141-43-5	Ethanolamin - Neutralised							
	oral	ATE mg/kg	500					
	dermal	ATE mg/kg	1100					
	inhalative vapour	ATE	11 mg/l					
	inhalative aerosol	ATE	1,5 mg/l					
102-71-6	Triethanolamin							
	oral	LD50 mg/kg	5530	RAT				
	dermal	LD50 mg/kg	22500	RABBIT				
4500-29-2 2,2-(cyclohexylimino)bisethanol								
	oral	LD50 mg/kg	2000	Rat				

Further information

Causes burns. Risk of serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
105-59-9	2,2'-(methylimino)diethanol, N-methyldiethanolamine								
	Acute fish toxicity	LC50 2200 mg/l	1000 -	96 h	Leuciscus idus				
	Acute algae toxicity	ErC50	37 mg/l	72 h	Desmodesmus subspicatus				
	Acute crustacea toxicity	EC50	233 mg/l	48 h	Daphnia magna				
141-43-5	Ethanolamin - Neutralised								
	Acute fish toxicity	LC50	227 mg/l	96 h	Pimephales promelas				
	Acute algae toxicity	ErC50	15 mg/l	72 h	Desmodesmus subspicatus				
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna				
102-71-6	Triethanolamin								
	Acute fish toxicity	LC50 mg/l	11800	96 h					
4500-29-2	2,2-(cyclohexylimino)bisethanol								
	Acute fish toxicity	LC50 mg/l	>100	96 h	Brachydaniorerio				
	Acute algae toxicity	ErC50 mg/l	12,5	72 h	Desmodesmus subspicatus				
	Acute crustacea toxicity	EC50	163 mg/l	48 h	Daphnia magna				



according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 6 of 8

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
105-59-9	2,2'-(methylimino)diethanol, N-methyldiethanolamine	-1,08
102-71-6	Triethanolamin	-2,53

12.4. Mobility in soil

Miscible with: Water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

This material and its container must be disposed of as hazardous waste.

The waste code numbers have since 1.1.1999 not only product but essentially application specific. The valid application for waste code can the European Waste Catalogue be removed.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S.

2,2-(cyclohexylimino)bisethanol

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S.

2,2-(cyclohexylimino)bisethanol

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code:

GB - EN Print date: 12.02.2018



according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 7 of 8

Special Provisions: 274 Limited quantity: 5 L

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S.

2,2-(cyclohexylimino)bisethanol

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: 223, 274
Limited quantity: 5 L
EmS: F-A, S-B

Other applicable information (marine transport)

F1

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S.

2,2-(cyclohexylimino)bisethanol

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: A3 A803 Limited quantity Passenger: 1 L

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

Other applicable information (air transport)

E1 : Y841

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information



according to Regulation (EC) No 1907/2006

LASCOL ALP 430

Revision date: 24.01.2017 Product code: 152 Page 8 of 8

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

GB - EN Print date: 12.02.2018