



Safety Data Sheet

LASCOL LUBRIFIANTS

according to Regulation (EC) No 1907/2006

LASCOL SM 15

Revision date: 02.02.2017

Product code: 161

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LASCOL SM 15

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Watersoluble Metalworkingfluid

1.3. Details of the supplier of the safety data sheet

Company name: LASCOL LUBRIFIANTS
Street: 28 Avenue Carnot, BP 30038
Place: F-78290 CROISSY SUR SEINE
Telephone: +33 09.80.52.18.73 Telefax: +33 09.57.94.90.76
e-mail: lascol.lubrifiants@gmail.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes severe skin burns and eye damage.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

caustic potash, potassium hydroxide, Gemisch, neutralisiert
3,3'-METHYLENBIS[5-METHYLOXAZOLIDIN]

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see information on this label).

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LASCOL SM 15

Revision date: 02.02.2017

Product code: 161

Page 2 of 7

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1310-58-3	caustic potash, potassium hydroxide, Gemisch, neutralisiert	25 - 50 %		
	215-181-3	019-002-00-8		
	Acute Tox. 4, Skin Corr. 1A; H302 H314			
025322-69-4	Propan-1,2-diol, propoxyliert	1 - 2,5 %		
	500-039-8			
	Acute Tox. 4; H302			
66204-44-2	3,3'-METHYLENBIS[5-METHYLOXAZOLIDIN]	1 - 2,5 %		
	266-235-8			
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1C; H302 H332 H314			
31075-24-8	1,2-Ethanediamin, N',N',N',N',-tetramethyl-,polymer mit 1,1'-oxybis(2-chloroethan)	< 0,5 %		
	608-578-1			
	Acute Tox. 4, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H302 H332 H400 H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Seek medical attention if problems persist. No administration in cases of unconsciousness or cramps.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).**Unsuitable extinguishing media**

High power water jet.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LASCOL SM 15

Revision date: 02.02.2017

Product code: 161

Page 3 of 7

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated:

Nitrogen oxides (NO_x).

Carbon monoxide

Carbon dioxide (CO₂).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Contain and control the leaks or spills with noncombustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Large quantities remove mechanically

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Direct contact with skins avoid.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

When using do not eat, drink or smoke.

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 5-40 °C

Maximum period of storage (time): 1 Jahr

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Further information on storage conditions

the regulations relating to storage premises apply to workshops where the product is handled.

Maximum period of storage (time):

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LASCOL SM 15

Revision date: 02.02.2017

Product code: 161

Page 4 of 7

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	-	-	TWA (8 h)	WEL
		-	2	-	STEL (15 min)	WEL

8.2. Exposure controls**Protective and hygiene measures**

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Use glasses or face shield if there is a risk of splashing.

Hand protection

Protect skin by using skin protective cream.

Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and after work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes.

Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product.

Set out skin protection guidelines.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	yellow
Odour:	characteristic

pH-Value (at 20 °C): in aqueous solution 5% ; 9,3 **Test method** DIN 51369**Changes in the physical state**

Initial boiling point and boiling range:	100 °C
Flash point:	not applicable
Ignition temperature:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,10 g/cm ³ DIN 51757
Viscosity / kinematic: (at 20 °C)	12 mm ² /s ASTM D 7042

SECTION 10: Stability and reactivity**10.1. Reactivity**

--

10.2. Chemical stability

Stable

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LASCOL SM 15

Revision date: 02.02.2017

Product code: 161

Page 5 of 7

10.3. Possibility of hazardous reactions

Keep away from: Strong acid , Oxidizing agents, strong.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition products: Carbon dioxide. Carbon monoxide

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	caustic potash, potassium hydroxide, Gemisch, neutralisiert				
	oral	LD50 273 mg/kg	Rat	RTECS	
025322-69-4	Propan-1,2-diol, propoxyliert				
	oral	LD50 300 mg/kg			
	dermal	LD50 >10000 mg/kg			
66204-44-2	3,3'-METHYLENBIS[5-METHYLOXAZOLIDIN]				
	oral	ATE 500 mg/kg			
	inhalative vapour	ATE 11 mg/l			
	inhalative aerosol	ATE 1,5 mg/l			
31075-24-8	1,2-Ethanediamin, N',N',N',N',-tetramethyl-,polymer mit 1,1'-oxybis(2-chloroethan)				
	oral	LD50 1951 mg/kg	rat		
	inhalative vapour	ATE 11 mg/l			
	inhalative aerosol	ATE 1,5 mg/l			

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

SECTION 12: Ecological information**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-58-3	caustic potash, potassium hydroxide, Gemisch, neutralisiert					
	Acute fish toxicity	LC50 80 mg/l	96 h	Gambusia affinis	IUCLID	
025322-69-4	Propan-1,2-diol, propoxyliert					
	Acute fish toxicity	LC50 >100 mg/l	96 h			

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LASCOL SM 15

Revision date: 02.02.2017

Product code: 161

Page 6 of 7

12.2. Persistence and degradability

Additional information: none

12.3. Bioaccumulative potential

Can be concentrated in organisms.

12.4. Mobility in soil

in delivery condition: liquid

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:** UN n.a.**14.2. UN proper shipping name:** n.a.**14.3. Transport hazard class(es):** n.a.**14.4. Packing group:** n.a.**Other applicable information (land transport)**

n.a.

Inland waterways transport (ADN)**14.1. UN number:** UN n.a.**14.2. UN proper shipping name:** n.a.**14.3. Transport hazard class(es):** n.a.**14.4. Packing group:** n.a.**Other applicable information (inland waterways transport)**

n.a.

Marine transport (IMDG)**14.1. UN number:** UN n.a.**14.2. UN proper shipping name:** n.a.**14.3. Transport hazard class(es):** n.a.**14.4. Packing group:** n.a.**Other applicable information (marine transport)**

n.a.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:** UN n.a.**14.2. UN proper shipping name:** n.a.**14.3. Transport hazard class(es):** n.a.**14.4. Packing group:** n.a.**Other applicable information (air transport)**

n.a.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

Danger releasing substance: n.a.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LASCOL SM 15

Revision date: 02.02.2017

Product code: 161

Page 7 of 7

14.6. Special precautions for user

n.a.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

n.a.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): 0

2004/42/EC (VOC): 0

National regulatory information

Water contaminating class (D): 2 - water contaminating

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,9.

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)