

according to Regulation (EC) No 1907/2006

LASCOL Y 500

Revision date: 30.01.2017

Product code: 64

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LASCOL Y 500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Watersoluble Metalworkingfluid

1.3. Details of the supplier of the safety data sheet

Company name:	LASCOL LUBRIFIANTS	
Street:	28 Avenue Carnot, BP 30038	
Place:	F-78290 CROISSY SUR SEINE	
Telephone:	+33 09.80.52.18.73	Telefax: +33 09.57.94.90.76
e-mail:	lascol.lubrifiants@gmail.com	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208

Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH210

Safety data sheet available on request.

Additional advice on labelling

No marking required according to 1999/45/EC, appendix V B, No. 9.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LASCOL Y 500

Revision date: 30.01.2017

Product code: 64

Page 2 of 7

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regul	ation (EC) No. 1272/2008 [CLP]				
64742-56-9	Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light	t paraffinic	40 - < 45 %		
	265-159-2		01-2119480132-48			
	Asp. Tox. 1; H304		·			
122-99-6	2-phenoxyethanol			5 - < 10 %		
	204-589-7	603-098-00-9				
	Acute Tox. 4, Eye Irrit. 2; H302 H319					
68608-26-4	Natriumsulfonat					
			01-2119527859-22			
	Eye Irrit. 2; H319					
68920-66-1	Fettalkoholpolyglykolether					
	Skin Irrit. 2, Aquatic Chronic 2; H	315 H411				
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one		< 0.1 %			
	220-120-9	613-088-00-6				
	Acute Tox. 4, Skin Irrit. 2, Eye Da H400	m. 1, Skin Sens. 1, Aquatic Acute	1; H302 H315 H318 H317			

Full text of H and EUH statements: see section 16.

Further Information

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsiousness or cramps.

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water. Change contaminated clothing. Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

If swallowed, immediately drink: Water. Do NOT induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry extinguishing powder. Carbon dioxide (CO2).



according to Regulation (EC) No 1907/2006

LASCOL Y 500

Revision date: 30.01.2017

Product code: 64

Page 3 of 7

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NOx). Carbon monoxide Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Contain and control the leaks or spills with noncombustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Large quantities remove mechanically

Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Dicrect contact with skins avoid. When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

When using do not eat, drink or smoke. High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 5-40 °C Maximum period of storage (time): 1 Jahr

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs. Do not store with strong oxidizing agents.

Further information on storage conditions

te regulations relating to storage premises apply to workshops where the product is hanled. Maximum period of storage (time):

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

LASCOL Y 500

Revision date: 30.01.2017

Product code: 64

Page 4 of 7

Protective and hygiene measures

Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Use glasses or face shield if there is a risk of splashing.

Hand protection

Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects . Wash hands before breaks and after work. Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes. Set out skin protection guidelines. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid amber coloured characteristic		
			Test method
pH-Value (at 20 °C):		in aqueous solution 5% ; 8,9	DIN 51369
Changes in the physical state			
Flash point:		not applicable	
Ignition temperature:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):		0,94 g/cm ³	EN ISO 12185
Viscosity / kinematic: (at 20 °C)		76 mm²/s	ASTM D 7042

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

LASCOL Y 500

Revision date: 30.01.2017

Product code: 64

Page 5 of 7

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-56-9	Baseoil - unspecified, Dis	tillates (petro	leum), solve	ent-dewaxed light paraffinio	c	
	oral	LD50 mg/kg	> 5000	RAT		
	dermal	LD50 mg/kg	>5000	RABBIT		
	inhalative (4 h) aerosol	LC50	>5 mg/l			
122-99-6	2-phenoxyethanol					
	oral	LD50 mg/kg	1850	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one					
	oral	LD50 mg/kg	1020	RAT		

Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
122-99-6	2-phenoxyethanol						
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus		
	Acute algae toxicity	ErC50 mg/l	> 500	72 h	Scenedesmus sp.		
	Acute crustacea toxicity	EC50 mg/l	> 500	48 h	Daphnia magna		
68920-66-1	Fettalkoholpolyglykolethe	•					
	Acute fish toxicity	LC50 mg/l	10-100	96 h			
	Acute crustacea toxicity	EC50 mg/l	10000	48 h			

12.2. Persistence and degradability

Additional information: none

12.3. Bioaccumulative potential

Can be concentrated in organisms.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,16



according to Regulation (EC) No 1907/2006

LASCOL Y 500

Revision date: 30.01.2017

Product code: 64

Page 6 of 7

12.4. Mobility in soil

in delivery condition: liquid

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Completely emptied packings can be re-cycled. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF 120109 METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

Other applicable information (marine transport) No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic 0,26 % (2,439 g/l)

```
2010/75/EU (VOC):
```

Additional information

Product does not require special labelling according to Directive 67/548/EEC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Water contaminating class (D): 1 - slightly water contaminating Additional information Commodity code: 3403 1980

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

LASCOL Y 500

Revision date: 30.01.2017

Product code: 64

Page 7 of 7

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an
	allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)